

Halitosis: Causes and its Management

Umma Zainab*

Dentist, Mumbai, Maharashtra, India

*Corresponding Author: Umma Zainab, Dentist, Mumbai, Maharashtra, India.

Received: November 09, 2020

Published:

© All rights are reserved by Umma Zainab.

Abstract

Halitosis or oral malodor or bad breath is a prevalent condition which presents itself commonly in routine dental practice. It is a common problem that affects all ages and also has a psychosocial impact on the patients causing many of them distress, anxiety and embarrassment. The condition can be physiological or pathological with a number of underlying factors, with many a time multiple factors contributing to the issue. This article reflects on the multifactorial etiology of the condition and its management briefly.

Keywords: Halitosis; Causes; Management

Introduction

Halitosis commonly referred as bad breath, is a malodor due to any reason that is perceived in expired breath [1]. There is limitation in terms of available information from studies, since the condition even though is prevalent, is still underrated [2]. Oral malodor also is a frequent complain, after caries and periodontal diseases, for which dental treatment is sought. Halitosis is perceived differently among different populations hence this awareness is of importance to the dentist. The knowledge about the causes responsible for the condition along with the awareness will better equip the dentist in relieving the patient of the issue and contributing in their overall welfare [3].

Classification

Classification is as follows




Figure 1: [4].

Causes

- Morning bad breath is physiologic halitosis, which can be because of a person suffering from any respiratory issue, dry mouth or sleeping under dry, hot conditions [5].
- Any food lodgement problems, acute or chronic periodontitis, gingivitis, acute necrotizing ulcerative gingivitis, ulcerations, oral lesions, oral malignancy [5]
- Xerostomia or dry mouth condition
- Poor oral hygiene maintainence.
- Coated tongue in association with periodontal issues can contribute to malodor [6].
- Old restorations, long standing untreated dental infections, deeply carious tooth, improper wearing of acrylic dentures, extraction complications, crowding, teeth undergoing orthodontic treatment, improper prosthesis [7].
- Respiratory disease such as sinus related issues, nasal obstruction, existing bronchial conditions, tonsillitis, malignancies of the respiratory tract [5].
- Dietary intake of garlic, onions, certain fruits like durian, spicy food, heavy consumption of tobacco or alcohol [5].
- Systemic causes: Patients with hepatic or renal failure, respiratory infections, diabetic ketoacidosis, conditions like Trimethylaminuria, Hypermethioninaemia, gastro oesophageal reflux, certain hormonal imbalances as during menstruation [5]
- Drugs that can cause malodour: Antihistaminics, metronidazole, griseofulvin, diuretics, nitrites and nitrates, bisphosphonates [7].

Metabolic disorders

Disease	Characteristic odor
Diabetes mellitus	Acetone breath, fruity
Unbalanced insulin dependent diabetes	Rotten apples
Liver insufficiency	Sweet odour that can be described as dead mice; fetor hepaticus (breath of death)
Trisonemy	Cabbage odor
Kidney insufficiency, trimethylaminuria	Fish odor
Uremia, kidney failure	Ammonia or urine like
Maple syrup urine disease	Burned sugar odor
Homocystinuria	Sweet musty odor
Isovaleric aciduria	Sweating feet odor
Lung abscess or bronchiectasis	Odorous rotten meat smell, foul putrefactive
Putrefaction of pancreatic juices	Hunger breath smell
Portocaval venous anastomosis	Feculent "amine" odor resembling a fresh cadaver known as "fetor hepaticus" but characteristically intermittent in nature for long period of time
Blood dyscrasias	Resembling decomposed blood of a healing surgical wound
Liver cirrhosis	Resembling decayed wound
Weger's granulomatosis	Necrotic putrefactive
Syphilis, exanthematous disease, granuloma venerum	Fetid
Azotemia	Ammonia-like

Figure 2: [7].

Management




Figure 3: [7].

Management [8]

- The dentist should address and resolve all odontogenic issues by giving the appropriate treatment as per the requirement of the patient like restorations, proper prosthesis, extractions for impacted tooth, removal of old and faulty restorations or prosthesis, scaling and root planning.
- Use of tongue scrapers, interdental cleaning aid and antibacterial mouth-rinsing agent with proper oral hygiene instructions should be given.
- For a short term solution that will mask the odor, usage of toothpastes with fluoride content, mint flavored tablets, chewing gums can be advised.
- For patients with hyposalivation appropriate medicines can be prescribed that can help with the dry mouth condition.
- Dietary intake of garlic, onion and certain odoriferous food can be restricted or followed by appropriate cleansing.
- Counselling for smoking and tobacco usage should be given as they are the contributing factors in halitosis along with reduction in consumption of alcohol.
- If medical reasons are thought to be the causative factors appropriate consultation and referral should be made for the systemic etiologies. In metabolic diseases the underlying condition has to be treated for improvement of the halitosis. Surgeries can be a mode of intervention in cases of tonsillitis and sinus infections.
- For patients with subjective halitosis assurance and counselling can be given, in cases of halitophobia they should be appropriately referred.

Conclusion

Halitosis is fairly common problem for which patients seek treatment and assurance since it impacts their daily social life. The dentist should be able to recognise the various factors that can result in causation of halitosis so as to keep the patient better informed and reduce the psychosocial impact. The understanding of the multidisciplinary approach is also important and it better enables the health professional in managing the condition [7].

Bibliography

1. Wenhuan Dou., et al. "Halitosis and helicobacter pylori infection A meta-analysis". *Medicine* 95.39 (2016): e4223.
2. C M L Bollen and T Beikler. "Halitosis: the multidisciplinary approach". *International Journal of Oral Science* 4.2 (2012): 55-63.
3. S Rayman and K Almas "Halitosis among racially diverse populations an update". *International Journal of Dental Hygiene* 6.1 (2008): 2-7.
4. M Aydin and C N Harvey-Woodworth. "Halitosis: A new definition and classification". *Gene Therapy* 21.3 (2014): E1.
5. S R Porter and C Scully. "Oral malodour (halitosis)". *British Medical Journal* 333.7569 (2006): 632-635.
6. "Halitosis definition and causes".

7. U Kapoor, *et al.* "Halitosis: Current concepts on etiology, diagnosis and management". *European Journal of Dentistry* 10.2 (2016): 292-300.
8. "Halitosis Etiology, diagnosis, and treatment Perio-Implant Advisory".

Assets from publication with us

- Prompt Acknowledgement after receiving the article
- Thorough Double blinded peer review
- Rapid Publication
- Issue of Publication Certificate
- High visibility of your Published work

Website: www.actascientific.com/

Submit Article: www.actascientific.com/submission.php

Email us: editor@actascientific.com

Contact us: +91 9182824667