



## 3D Printing in Dentistry

**Deepankar Bhatnagar<sup>1\*</sup>, Rupinder Matharoo<sup>2</sup>, Rheia Baijal<sup>3</sup>, Naman Mittal<sup>4</sup> and Jubin Babu<sup>4</sup>**

<sup>1</sup>Professor HOD Department of Orthodontics, Maharishi Markandeshwar College of Dental Sciences and Research, India

<sup>2</sup>Private Practice, Ludhiana

<sup>3</sup>Lecturer, Maharishi Markandeshwar College of Dental Sciences and Research Ambala, Haryana, India

<sup>4</sup>PG Resident, Maharishi Markandeshwar College of Dental Sciences and Research Ambala, Haryana, India

**\*Corresponding Author:** Deepankar Bhatnagar, Professor HOD Department of Orthodontics, Maharishi Markandeshwar College of Dental Sciences and Research, India

**DOI:** 10.31080/ASDS.2022.06.1354

**Received:** March 14, 2022

**Published:** April 07, 2022

© All rights are reserved by **Deepankar Bhatnagar, et al.**

### Abstract

3D printing otherwise known as additive manufacturing, rapid prototyping or layered manufacturing is a relatively new, quickly growing and rapidly expanding method of manufacturing that has got numerous applications in healthcare and also in many other fields. Recently, it has become a subject of great interest in planning surgeries. Additive manufacturing method involves the production of a 3D model by laying down or adding successive layers of material. 3D printers are equipment that produces 3D models using CAD technology or 3D scanners. It has received more importance with the advancement in 3D imaging and modelling technologies such as CBCT, intraoral scanning and CAD/CAM in dentistry. Different techniques are employed in 3D printing namely stereolithography, photopolymer jetting, power binder printers, direct light processing, selective laser sintering, fused deposition modelling, electron beam melting, etc. Dental laboratories are able to produce 3D printed restorations, crowns, bridges, orthodontic appliances, surgical guides and implants quickly with higher precision and accuracy. This is done by methods that combine oral scanning, CAD/CAM designing and 3D printing. The rate of success of 3D printing has improved the quality and accuracy of dental treatment. With the application of 3D printing, it has become possible to replicate the desired complex geometry which was not feasible with conventional techniques. Thus 3D printing has led to a transformation in digital dentistry with its extensive learning and penetrating opportunities and a wide range of applications. The aim of this article was to review the techniques and current applications of 3D printing in dentistry

**Keywords:** 3d Printing; Intraoral Scanning; CAD/CAM; CBCT

### Introduction

A 3 Dimensional printing, also referred to as additive manufacturing is a process of making 3-D objects with the help of 3-D printers which forms the entire 3-D object by adding multiple layers to create the precise design [1,2]. In cross section, each layer is represented as thin horizontal section of the object [3]. It is also known as rapid prototyping [4,5]. Recently, 3-D printing is gaining popularity among various dental fields and is mainly focused in the field of oral surgery, prosthodontics, orthodontics and with less applications in periodontics and endodontics [6]. The first 3-D object was printed using Stereolithography (SLA) by Charles Hull in 1983 [7].

There are three basic steps in 3-D printing technology

- Designing of 3-D object using 3-D scanner.
- Actual printing process using certain materials based on the requirement. For example. Ceramics, metals, resins etc. which enables to achieve the precise design of the object.
- Finishing process which requires specific skills [8,9].

3-D printers work in conjugation with 3- D scanners which can be direct or indirect. The direct scanners scan the information when in contact with the object while the indirect ones gather information with the scanner away from the object. Most of the

dental field scanners use indirect technique. CAD software is used alongwith 3-D scanners for accurate detailing prior to starting of the printing process [10].

### What is 3-D printing?

The 3-D printing is the process in which 3-D printers are used to print 3-D models which are more accurate and the models are built by adding multiple layers [3,11]. 3-D printing is also known as additive manufacturing. The term itself indicates adding multiple layers at a time to create a desired object. The use of 3-D printing is rapidly increasing in both medical as well as dental fields in order to create more accurate models for educational, study and treatment planning purposes [12].

### History of 3-D printing

Charles Hull in 1983 for the first time invented 3-D printing known as "Stereolithography" and printed the first 3-D object with it. Hull discovered that the acrylic based photopolymers harden once exposed to UV light. With the help of this he built SLA machine which uses UV laser to build multiple layers to form an object [12]. In dental field, 3-D printing was used for the very first time in 1990s to form dental implants. As the technology developed, 3-D printing was used to form organs as well. In 2012, 3-D printed jaw was made in Holland [12,13].

In Orthodontics, metal rings were used to treat malocclusion in early 1900s. Metal rings were cemented to teeth to support wires for correction of malocclusion but it leads to dental caries as it was difficult to maintain oral hygiene. In 1960s, first brackets were introduced which were made from stainless steel with high strength, less friction, improved salivary flow. To minimize creep deformation, ceramic reinforced, fiberglass reinforced and polycarbonate reinforced brackets were developed [14,15]. Ceramic brackets were used later on.

### Types of printers [13]

- Stereolithography (SLA)
- Selective Laser Sintering (SLS)
- Polyjet Printing
- Fused Deposition Modeling (FDM)
- Bioprinter

### Stereolithography

SLA uses a UV laser which scans the resin surface and subsequent layers are being laid and laser hardens the material. Thus forming a complete 3-D object.

### Materials used [16]

#### Poly 1500

- Properties similar to polypropylene
- Lead time – 3 working days
- Impact resistance

#### Protogen white

- Resilient
- Good surface quality
- Good thermal properties

#### Tusk XC2700T

- Transparent
- Suitable for water- resistant prototypes

#### Tusk XC2700W

- White
- Suitable for water- resistant prototypes

#### Taurus

- Charcoal black
- Very high elongation at break

#### Xtreme

- High impact strength
- Excellent surface quality

#### Tusk somos solid grey 3000

- High impact resistance

#### PerFORM

- Strong stiff resin
- High thermal resistance

### Selective laser sintering (SLS)

Selective Laser Sintering sinter powdered material by using laser, binds the material to form a solid object.

Developed by Dr.Carl Deckard and Dr.Joe Beaman at university of Texas at Austin under the sponsorship of DARPA.

Use a high power laser to fuse metal, ceramic or glass powders into a mass to obtain 3-D shape.

Typically uses a pulsed laser [17].

Materials used: Polyamides (PA), Polystyrenes (PS), thermoplastic elastomers (TPE) and Polyaryletherketones (PAEK).

Polycarbonate is of high interest due to its high toughness and thermal stability [6].

**Polyjet printing**

Polyjet (Photopolymer jetting) jets a liquid from print head and hardens by UV light. A single layer of photopolymer is being deposited on X-axis and immediately cured by UV light. The depth of each layer is managed by software. After completion of curing the first layer, second layer is being deposited along Z-axis and is cured. The entire process is repeated until 3-D object is formed.

**Advantages**

- Production of object with different levels of flexibility.
- Easy to build multi-colored objects.
- Excellent detailing [18].

**Fused deposition modelling (FDM)**

Developed by Schott Crump.

In this process, thermoplastic material is melted, extruded and hardens immediately due to the cold temperature of air.

Materials: Polycarbonate, Acrylonitrile, Butadiene styrene, Polyphenylsulfone, Nylon, Calcium Phosphate based ceramic [19].

**Bioprinter**

Combination of engineering and cell biology.

Used for artificial construction of living tissues by adding multiple layers.

**Types**

- Inkjet Bioprinting
- Laser assisted Bioprinting (LAB)
- Microentrusion Bioprinting (MEB) [20]

Stereolithography	Selective laser sintering	Fused deposition modelling
Laser cures photopolymer resin.	Laser fuses polymer powder	Melts and extrudes thermoplastic filament.
Highly versatile material selection.	Low cost, high productivity	Lowest price of material.
Highest resolution.	Excellent mechanical properties	Lowest resolution and accuracy.
High accuracy and fine details.	FUNCTION: Function prototyping short run, bridge or custom manufacturing	FUNCTION: Low cost rapid prototyping, basic proof of concept models.
FUNCTION: Function prototyping patterns, molds and tooling dental applications		

**Table 1:** Comparison [21].

**3D models vs gypsum models**

- Advantages of digital models
- Instant Accessibility
- Positive Patient Perceptivity
- No risk of breakage, wear
- Virtual images can be transferred anywhere for quick consultation [22]
- High accuracy [23]
- Allows correlation of Occlusal conditions with patients own photographs [24,25]
- The printed models can be used in case if the patient lose the retainers. Thus reducing the chair time and lesser number of appointments [26]
- CAD CAM Softwares like OrthoAnalyzer, Orchestrate or Suresmile elemetrix can be used for the correction of malaligned teeth on the digital models [26].

**Dental stone - 3rd class plaster**

- Easy manufacturing and availability
- Reduced production cost
- Accurate small anatomic details of Occlusal surfaces, interdental spaces, gingiva
- DISADVANTAGES:
- Crack/ scratch easily
- If damaged, impossible to replicate it [27].

## Making indirect bonding trays

### Scan

In order to make indirect bonding tray, digital impression is required. In order to achieve this, 3D intraoral scanner is used to scan the patient.

### Design the indirect bonding tray

- Correct insertion direction being ensured which will impact physical insertion of the final appliance.
- There are two ways to create indirect bonding trays:
  - Bar
  - Offset

Bar design is recommended because of its flexibility around the brackets, provides rigidity to the appliance, ability to print directly on build surface

### Print

- Import the designed file by dragging them into PreForm
- Material selection (Locate IBT in material drop down)
- Orientation: Positioning Bar type appliances: Open Orientation tool and click select base and next click bottom surface of the part to attach it to the build surface
- Angulation: ensures accuracy and fit. Always Position the appliance with intaglio surface facing away from build platform. The part should be parallel to build platform or at most 45 degree angle.
- Generate support structures
- Printing layout (no overlapping of the parts)
- Transfer to the printer
- Set up the printer: Insert the cartridge after shaking, a build platform and a resin tank into formlabs 3D printer. The printer will complete the print.

### Post processing

- Remove the printed parts from the build platform
- Printed part is being washed with the solvent. Place the trays in form wash filled with Isopropyl Alcohol and wash it for 20 minutes.
- Avoid excess washing as it will result in dimensional inaccuracy
- Drying at room temperature for atleast 30 minutes. Inspect the parts to ensure they are clean and dry.
- Post curing in formcure at 60° C (140°F) for 60 minutes must be done to maintain dimensional accuracy
- Support removed with the help of clippers provided in the finishing kit.


- Finishing: any support structure in 3D printed indirect bonding tray which are left, are removed with iris scissors.

### Appliance care and use

- Cleaning using neutral soap and water at room temperature, inspection of any cracks
- Disinfection: soaking the finished indirect bonding tray in fresh 70% IPA for 5 minutes
- Store in closed, opaque containers
- Disposal: any cured resin is disposed as regular waste while the liquid resin in accordance with government regulation [28].

## 3-D Printed dental aligners

Invisalign use 3-D printer to fabricate accurate model in order to make clear aligners.



3D Printed model → Dental thermoforming machine → Clear Aligner placed around the model to create final product → Cleaned and Polished → Delivered to patients [29].

## Applications

- 3D Printing aids in the treatment planning for orthognathic surgical cases, anchorage device placements [30].
- Virtual changes can be made in digital models for analyzing arch form, crowding, spacing, teeth size, or type of malocclusion [30].
- Simulation of treatment planning, indirect bonding in orthodontic cases [30].
- Tooth size discrepancies, overjet, overbite are achievable [30].
- Congenital maxillofacial defects can be corrected using 3D printing and patients are able to see the final result of the treatment [7].
- 3D printed models helps in implant placement by fabricating surgical guides [31].

- 3D printer helps in recording accurate impressions of the teeth, oral mucosa and other structures in patients with gag reflex, temporomandibular joint problems/disorders, reduced mouth opening [13].
- Rapid prototyping helps in the fabrication of chrome-cobalt dentures [32].
- Normando et.al. in 2014 invented 3D face scans/printer in order to achieve accurate model of dental arches and orthodontic brackets [33].

## Discussion

In Orthodontics, 3 D printing is gaining popularity and is widely used for the correction of malocclusion. The 3 D software enables the orthodontist to show the post treatment results to the patient prior to the treatment. The main advancement of 3 D printing involves the fabrication of the orthodontic aligners which are removable unlike fixed orthodontic procedure. Thus reducing the number of chairside appointments [9]. Treatment efficiency can be improved using digital models and with the help of CAD CAM software, brackets can be removed digitally and 3 D models are printed for the fabrication of the retainers [34].

Types of printers used in 3D printing includes Stereolithography, Selective Laser Sintering, Polyjet Printing, Fused Deposition Modeling and Bioprinter [13]. SLA use highest resolution and offers high accuracy with fine details and great efficiency. FDM uses various materials like polyphenylsulfone, calcium phosphate based ceramic and can be used for the production of complex objects with high accuracy. SLS use materials like polyamides, polycarbonate, polystyrenes and offers high productivity and have excellent mechanical properties. Polyjet printing offers excellent detailing and flexibility. Digital models offers various advantages including correction of malalignment, positive patient perceptivity, reduce chair time, high accuracy [23,26].

The use of 3D printing is increasing in the fields of prosthodontics, orthodontics, implantology and oral and maxillofacial surgery. The main use of 3D printing is to create an accurate replica of the teeth and surrounding tissues for diagnosis, treatment and educational purposes. A study was conducted in which 2209 articles were taken. Out of which 28 studies were analyzed based on different criterias including sample size, 3D printing technology used, material type, layer thickness, accuracy of scanner, limitations etc. were being used. It was conducted that errors were low for certain printers. Therefore they can be recommended for use in dental

fields especially for orthodontic study models. The accuracy of the final 3D printed model depends on data acquirement, layer thickness, base design and processed images of the oral tissues. There is no review of data depicting the accuracy of 3d printers. Hence the existing data on 3d printing was evaluated to depict accuracy of 3D printing [38].

3D printers can replicate models in less time period but the high cost of 3D printers is still a challenge. The usage of 3D printers require high skilled operators. The 3D printing should aim to decrease the cost, enhance the surface quality, improved process solidity. In the future, new materials and technologies should be developed further ensuring high accuracy and low cost [39]. With advancements, new biocompatible materials and transparent flexible resins will be introduced giving excellent aesthetic results. 3D printing will significantly improve the workflow in dental field [40]. With growing capabilities and gaining experience of 3D printers, the use of these technologies is going to expand in future [41].

## Current state and future possibilities of clear aligners

Patients seek orthodontic treatment for various reasons including aesthetics and to improve facial appearance which helps in building confidence [35]. The conventional orthodontic treatment with brackets and archwires is somehow not comfortable for many patients as they experience lip discomfort and problems while eating [36] With recent advancements, patients are opting treatment with clear aligners which offers simplicity of use and higher comfort levels. Patients can take out the aligners when eating while maintaining the oral hygiene. The chair side appointment time of clear aligners is less as compared to the conventional orthodontic treatment [35].

For the first time, clear aligners were developed for retention purpose after completion of orthodontic treatment or for treating minor tooth malpositioning [37]. With the advancements, clear aligners are now used to treat moderate to severe malocclusions. 3D printed aligners offers several advantages like digitally designed borders with smooth edges, no undercuts, higher precision, better fitting [35].

Three- dimensional printing is revolutionizing dentistry. Clear aligners are fabricated using 3D technology which offers great advantages over conventional orthodontic treatment. Various fields of dentistry are now using 3D printing technology. Thus 3D printing has established a new era among various dental fields.

## Conclusion

Conclusion should reflect and elucidate how the results correspond to the study presented and provide a concise explanation of the allegation of the findings.

## Acknowledgements

A short acknowledgement section can be written acknowledging the sources regarding sponsorship and financial support. Acknowledging the contributions of other colleagues who are not included in the authorship of this paper should also be added in this section. If there are no acknowledgements, then this section need not be mentioned in the paper.

## Conflict of Interest

Declare if any financial interest or any conflict of interest exists.

## Bibliography

1. What is 3D Printing? (2015).
2. 3D Printing
3. Shahnaz Mahamood., *et al.* "Applications of 3-D Printing in Orthodontics: A Review".
4. Liu Q., *et al.* "Rapid prototyping in dentistry: technology and application". *International Journal of Advance Manufacturing Technology* 29 (2006): 317-335.
5. A Dawood., *et al.* "3D printing in dentistry". *British Dental Journal* 219 (2015): 521-529.
6. Gunpreet Oberoi., *et al.* "3D Printing- Encompassing the facets of Dentistry". *Frontiers in Bioengineering and Biotechnology* 6 (2018): 172.
7. Cristine 2., *et al.* "Digital Dentistry- 3D Printing applications". *Journal of Interdisciplinary Medicine* 2.10 (2017): 50-53.
8. <https://www.sculpteo.com/en/3d-printing/3d-printing-technologies/>
9. Tarika MA Kohli. "3D Printing in Dentistry- An overview". *ACTA Scientific Dental Sciences* 3.6 (2019).
10. James Bonham and Arlen. "Hurt review innovations in 3D- Printing Technologies
11. 3D Printer and 3D Printing News (2015).
12. Abarna Jawahar and G Maragathavalli. "Applications of 3D Printing in dentistry- A Review". *Journal of Pharmaceutical Sciences and Research* 11.5 (2019): 1670-1675.
13. Gunpreet Oberoi., *et al.* "3D Printing- Facets of Dentistry". *Frontiers in Bioengineering and Biotechnology* 6 (2018): 172
14. Zinelis S., *et al.* "Comparative assessment of the roughness, hardness and wear resistance of aesthetic bracket materials". *Dental Materials* 21 (2005): 890-894.
15. Dobrin RJ., *et al.* "Load- deformation characteristics of polycarbonate orthodontic brackets". *American Journal of Orthodontics* 67 (1957): 24-33.
16. Stereolithography.
17. Working of Polyjet 3D Printers.
18. Danial Khorsandi., *et al.* "FDM and SLA 3D Bioprinting in Dental Science".
19. Pati Dol Ava Teerdha., *et al.* "3D Bioprinting- A Review on current application and future prospects in dentistry". *Journal of International Dental and Medical Research* 12.3 (2019): 1202-1210.
20. 3D Printing Technology comparison: FDM vs SLA vs SLS.
21. Fleming PS., *et al.* "Orthodontic measurements on digital study models compared with plaster models: A systematic review". *Orthodontics and Craniofacial Research* 14 (2011): 1-16.
22. Hirogaki Y., *et al.* "Complete 3-D reconstruction of dental cast shape using perceptual grouping". *IEEE Transactions on Medical Imaging* 20 (2001): 1093-1101.
23. Kuroda T., *et al.* "Three-dimensional dental cast analyzing system using laser scanning". *American Journal of Orthodontics and Dentofacial Orthopedics* 110 (1996): 365-369.
24. Santoro M., *et al.* "Comparison of measurements made on digital and plaster models". *American Journal of Orthodontics and Dentofacial Orthopedics* 124 (2003): 101-105.
25. Christian Groth Neal D., *et al.* "Incorporating three- dimensional Printing in Orthodontics". *Journal of Clinical Orthodontics* 52.1 (2018): 28-33.



26. Romeo A., *et al.* "Holograms in orthodontics: A Universal system for the production, development and illumination of holograms for storage and analysis of dental casts". *American Journal of Orthodontics and Dentofacial Orthopedics* 108 (1995): 443-447.
27. Indirect Bonding Trays for orthodontic Bracket Placement with formlabs SLA 3D Printers.
28. Applications of 3D printing in dentistry.
29. Emilia Taneva., *et al.* "3D Scanning, Imaging and Printing in orthodontics (2015).
30. Papaspyridakos P and Lal K. "Complete arch implant rehabilitation using subtractive rapid prototyping and porcelain fused to zirconia prosthesis: A clinical report". *Journal of Prosthetic Dentistry* 100.3 (2008): 165-172.
31. Mostafa Omran Hussein and Lamis Ahmed Hussein. "Novel 3D Modeling Technique of RPD framework manufactured by 3D Printing Technology". *International Journal of Advanced Research* 2.9 (2014): 686-694.
32. Normando D. "3D orthodontics from Verne to Shaw". *Dental Press Journal of Orthodontics* 19 (2014).
33. Christian Groth., *et al.* "Three Dimensional Printing Technology". *Journal of Clinical Orthodontics: JCO* 48.8 (2014): 475-485.
34. Gianluca M Tartaglia., *et al.* "Direct 3D Printing of Clear Orthodontic Aligners: Current State and Future Possibilities". *Materials (Basel)* 14.7 (2021): 1799.
35. Chen SS., *et al.* "Systemic review of self-ligating brackets". *American Journal of Orthodontics and Dentofacial Orthopedics* 137 (2010): 726.
36. Kesling HD. "Coordinating the predetermined pattern and tooth positioned with conventional treatment". *American Journal of Orthodontics and Oral Surgery* 32 (1946): 285-293.
37. Yasaman Etemad- Shahidi., *et al.* "Accuracy of 3 Dimensionally Printed Full Arch Dental Models: A Systemic Review". *Journal of Clinical Medicine* 9.10 (2020): 3357.
38. Yueyi Tian., *et al.* "A Review of 3D printing in Dentistry: Technologies, Affecting Factors and Applications". *Scanning* 2021 (2021): 9950131.
39. 3D Printing in dentistry: Future- proof technology?
40. Alina I Moshkova. "3D Print Opportunities in Dentistry- History, Present, Future". *International Journal of Advanced Science and Technology* 29.4s (2020): 2667-2681.

#### Assets from publication with us

- Prompt Acknowledgement after receiving the article
- Thorough Double blinded peer review
- Rapid Publication
- Issue of Publication Certificate
- High visibility of your Published work

**Website:** [www.actascientific.com/](http://www.actascientific.com/)

**Submit Article:** [www.actascientific.com/submission.php](http://www.actascientific.com/submission.php)

**Email us:** [editor@actascientific.com](mailto:editor@actascientific.com)

**Contact us:** +91 9182824667