

Inter-Relating Specific Gravity of Urine with Likeness of Pigeon as Pet

Muhammad Hammad Ahmad*, Muhammad Imran Qadir and Muhammad Ejaz

Institute of Molecular Biology and Biotechnology, Bahauddin Zakariya University, Multan, Pakistan

***Corresponding Author:** Muhammad Hammad Ahmad, Institute of Molecular Biology and Biotechnology, Bahauddin Zakariya University, Multan, Pakistan.

Received: March 14, 2023

Published: May 10, 2023

© All rights are reserved by **Muhammad Hammad Ahmad, et al.**

Abstract

If someone is liking pigeons as pets may be due to their peaceful, intelligent, effortless, friendly, and loving nature. The ultimate objective of this study was to link the specific gravity of urine with the likeness of pigeons as a pet. 68 subjects participated in this project. The gravity of the urine was estimated by performing a urine test. Specific gravity is estimated by contrasting the thickness of pee and that of the water. It is generally used to check the working of the kidney to weaken the pee and it demonstrates various ailments of the kidney. The principal capacity of the kidney is to discharge hurtful poisons and metabolically created squanders through pee. Some local pigeons are so stuck up that they are utilized as a pet. In other nations, these fowls were utilized in the expo because of their excellence. Males with 0.971 ± 0.325 and females with 1.02 ± 0.009 pH had the likeness of the pigeon as a pet while females with 1.004 ± 0.138 and males with 1.015 ± 0 had no likeness of the pigeon as a pet. It was concluded that the specific gravity of urine had no link with the likeness of the pigeon as a pet.

Keywords: Specific Gravity of Urine; Likeness of the Pigeon as Pet

Introduction

Specific gravity is estimated by contrasting the thickness of pee and that of the water. It is generally used to check the working of the kidney to weaken the pee and it demonstrates various ailments of the kidney. The principal capacity of the kidney is to discharge hurtful poisons and metabolically created squanders through pee. It assumes a significant job in making pee moved to lessen the water and supplement misfortune. This convergence of emitted substances decides the unequivocal gravity of pee. An increment in the estimation of explicit gravity implies the solutes had a higher focus and it results in a lack of hydration, additional perspiring, loose bowels, and disease of UT and kidney. Drinking water or different liquids in an intemperate sum can defeat this circumstance. If the grouping of solute is lower, at that point it will

cause disappointment in kidneys and cause diabetes. If you had over-hydration, at that point, certain different tests are performed to check the metabolic issue or liver, kidney, and mental conditions. For the point-by-point investigation of peeing the osmolality strategy or test is utilized. More prominent explicit gravity implies that different segments like RBCs, WBCs, and proteins are likewise present in pee.

Pigeon is the skirt that is preferred the most in positron discharge tomography. Some local pigeons are so stuck up that they are utilized as a pet. In other nations, these fowls were utilized in the expo because of their excellence. These winged creatures are likewise utilized for sending and getting messages during the time of Mughal Badshah. A few people have love of pigeons as pets and a few people don't care for the pigeon. If someone is liking pigeons

as pets may be due to their peaceful, intelligent, effortless, friendly, and loving nature.

The ultimate objective of this study was to link the specific gravity of urine with likeness of pigeons as pets.

Methodology

68 subjects participated in this project. The gravity of urine was estimated by performing a urine test and specific gravity was measured.

Project design

The questionnaire planned by me about the specific gravity of urine and the interest of students in the likeness of pigeons as pets. I collected data for this project study.

Statistical analysis

Results were statistically analyzed by using MS Excel. A student’s t-test was performed and a p-value>0.1 was not significant.

Result and Discussion

Inter-relating the specific gravity of urine with likeness of pigeons as pets is given in table 1. Males with 0.971 ± 0.325 and females with 1.02 ± 0.009 pH had the likeness of the pigeon as a pet while females with 1.004 ± 0.138 and males with 1.015 ± 0 had no likeness of the pigeon as a pet.

- Urine specific gravity or urine density is a laboratory test to measure the concentration of all chemicals in urine.
- Urine specific gravity is measured by contrasting the thickness of urine.
- Urine-specific gravity is generally used to check the body’s water balance, the working of the kidney, and urine concentration.
- Urine-specific test is important in diagnosing some health conditions that affect water balance in urine.
- Urine-specific test is mostly to measure the working of the kidney.
- The principal function of the kidney is to discharge toxic poisons and metabolically created waste through urination.
- It assumes a significant job in making urine moved to reduce the quantity of water and supplement misfortune from the body.

- This emission of waste substances decides the unequivocal gravity of urine.
- An increase in the evaluation of explicit gravity implies the solutes had a higher focus and it results in a lack of hydration, additional perspiring, loose bowels, and disease of UT and kidney.
- Urine-specific gravity can be controlled by drinking water, stopping soft drinks of any kind, and medication by using antidiuretic hormone (ADH).
- If the solute concentration is lower, at that point it will cause disappointment in kidneys and cause diabetes.
- If you had over-hydration, at that point, certain different tests are performed to check the metabolic issue or liver, kidney, and mental conditions.
- For the proper investigation of urination the osmolality strategy or test is utilized.
- More prominent explicit gravity suggests that different segments like red blood cells, white blood cells, and proteins are present in urine.

Gender	The likeness of a pigeon a pet	Dis-likeness of pigeon as pet	p-value
Male	0.917 ± 0.325	1.015 ± 0	0.3
Female	1.02 ± 0.009	1.004 ± 0.138	0.3

Table 1: Inter-relating specific gravity of urine (Mean ± SD) with likeness of pigeon as a pet. Non-valuable (where p > 0.1).

Significant results were obtained in this project based on research.

The question-based study is very helpful for students to make them confident in their studies and research work [1-4].

Conclusion

It was concluded that the specific gravity of urine had no link with likeness of pigeons as pets.

Bibliography

1. Qadir MI and Malik SA. "Comparison of alterations in red blood cell count and alterations in hemoglobin concentration in patients suffering from rectal carcinoma undergoing 5-fluorouracil and folic acid therapy". *Pharmacologyonline, NI* 3 (2010): 240-243.
2. Qadir MI and Noor A. "Anemias. Rare and Uncommon Diseases". Cambridge Scholars Publishing. Newcastle, England (2018).
3. Qadir MI and Javid A. "Awareness about Crohn's Disease in biotechnology students". *Global Advanced Research Journal of Medicine and Medical Sciences* 7.3 (2018): 062-064.
4. Qadir MI and Saleem A. "Awareness about ischemic heart disease in university biotechnology students". *Global Advanced Research Journal of Medicine and Medical Sciences* 7.3 (2018): 059-061.